

#### Cyan Tunable White Wall Switch

P/N: CYAN-TW-SW-3

The Cyan Wall Switch uses a standard end-to-end wiring configuration that eliminates the need for extra wires and resolves compatibility concerns.

This device offers a wide range of features, including tunable white control, and the ability to be controlled through voice commands and or App.







#### IT'S AS SIMPLE AS THAT.



700W



Multi Gang 3way



Wire Free UnlimitedLoad Capacity


#### Features & Benefit

- Tunable White Control
- SmartAir App / Voice Control
- 3-Way (Optional)
- Dim-to-Off
- Flicker-Free Soft Dimming Down to 0.1%
- 120VAC Wall Switch with No Battery Required
- UL Listed
- A Single Wall Switch Can Control Multiple LED Controllers
- · Simple Installation no Extra Wiring
- Fits US Standard Multi Gang Box
- Compatible with any Decora Wall Plate
- Complies to IEEE and Title 24 Flicker Requirements
- Classic Design to Match Existing Style Switches
- Fast Delivery Shipping out of NY




Wall Plate not included

## System Setup



## User Interface





# Electrical Specification

#### Power & Ratings

Input	120 VAC ~ 50/60Hz
Max Load Hardwired	700W
Max Load Nonwired	Unlimited

#### Compliance

UL Listed	UL1472 / CSA C22.2 184.1
FCC	Class B Part 15

#### Environmental

Ambient Operating Temp	-30 °C - + 40 °C / -86°F - + 104°F
------------------------	------------------------------------


## Dimming Performance


Control Protocol	RF/WIFI
Dimming Range	0.1 - 100%
Dim to Off	Yes
Dimming Method	PWM (2400Hz)

# Mechanical

# Specifications

# Mechanical Specification





Note: Requires a U.S. wallbox 2in (64 mm) deep minimum.

Material	PC/ABS - 5VA Rating
Finish	White Glossy (Default)